

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 13-48-01065  
Name of Facility: Banyan Elementary/ Loc.# 0201  
Address: 3060 SW 85 Avenue  
City, Zip: Miami 33155

Type: School (more than 9 months)  
Owner: M-DCSB Food and Nutrition  
Person In Charge: M-DCSB Food and Nutrition      Phone: (786) 275-0400  
PIC Email:

**Inspection Information**

Purpose: Routine      Number of Risk Factors (Items 1-29): 2      Begin Time: 12:25 PM  
Inspection Date: 4/27/2023      Number of Repeat Violations (1-57 R): 2      End Time: 01:30 PM  
Correct By: Next Inspection      Facility Grade: N/A  
**Re-Inspection Date: None**      Stop Sale: No

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- OUT** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- OUT** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- IN** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

**SAFE FOOD AND WATER**

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- IN 32. Variance obtained for special processing

**FOOD TEMPERATURE CONTROL**

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

**FOOD IDENTIFICATION**

- IN 37. Food properly labeled; original container

**PREVENTION OF FOOD CONTAMINATION**

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

**PROPER USE OF UTENSILS**

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly

**UTENSILS, EQUIPMENT AND VENDING**

- OUT 47. Food & non-food contact surfaces (**R**)
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

**PHYSICAL FACILITIES**

- IN 50. Hot & cold water available; adequate pressure
- OUT 51. Plumbing installed; proper backflow devices (**R**)
- IN 52. Sewage & waste water properly disposed
- OUT 53. Toilet facilities: supplied, & cleaned
- OUT 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Violations Comments**

Violation #10. Handwashing sinks, accessible & supplies

At the time of inspection observed at the handwash sink no paper towels . Provide paper towels.

CODE REFERENCE: 64E-11.003(5)(d). Handwashing sinks are properly equipped with hand soap, individual disposable towels or hand drying device, and signage; and conveniently located.

Violation #16. Food-contact surfaces; cleaned & sanitized

At the time of inspection observed residue built up on blade of can opener. Clean and disinfect can opener.

CODE REFERENCE: 64E-11.003(2). Food shall only contact surfaces that are clean and sanitized.

Violation #47. Food & non-food contact surfaces

At the time of inspection observed gas serving Line PC: 0991998. Leaking Water Underneath. Work Order # 4293603. Repair and/or replace Gas Serving Line. (Repeated violation)

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #51. Plumbing installed; proper backflow devices

At the time of inspection observed missing Faucet in Mop Sink Provide faucet in Mop Sink. (Repeated Violation)

CODE REFERENCE: 64E-11.003(5)(c). Plumbing will be installed and maintained to comply with plumbing requirements, including backflow prevention devices. A mop sink will be provided.

Violation #53. Toilet facilities: supplied, & cleaned

At the time of inspection observed at the employee restroom no paper towels . Provide paper towels.

CODE REFERENCE: 64E-11.003(5). Toilet facilities shall meet applicable plumbing code, be kept clean, provided with toilet paper and covered waste receptacle, and utilize self-closing doors.

Violation #54. Garbage & refuse disposal

At the time of inspection observed opened dumpster lid. Close and maintained close dumpsters.

At the time of inspection observed missing drain plug at the dumpster . Provide drain plug for the dumpster.

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Inspector Signature:

Handwritten signature of the inspector.

Client Signature:

Handwritten signature of the client.

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Temperatures were taken with thermopen thermometer

No food preparation observed

Handwash sink 111 F

Three compartments sink 115 F

Milk Box 41 F

Reach in refrigerator  
Cheese 41 F

Reach in cooler  
Ambient temperature -7 F

Walk in cooler  
Ambient temperature 35 F

Walk in freezer  
Ambient temperature -8 F

Employee restroom 110 F

Email Address(es): tequigley@dadeschools.net;  
nemoss@dadeschools.net;  
vfaraldo@dadeschools.net

Inspection Conducted By: Alexander Olaya (67699)  
Inspector Contact Number: Work: (305) 623-3500 ex.  
Print Client Name:  
Date: 4/27/2023

Inspector Signature:

Handwritten signature of the inspector.

Client Signature:

Handwritten signature of the client.